Homework Problems Physics 417/517 Due January 29, 2015

- 1. Evaluate the rest energy (in MeV) for the proton ($m_p = 1.673 \times 10^{-27}$ kg) and the deuteron ($m_d = 3.344 \times 10^{-27}$ kg). Next, assume $\gamma = 2$ for either particle. What is the particle velocity (m/sec)? What are the "kinetic energies" (the total energy minus the rest energy) for both particles in MeV. Repeat for $\gamma = 10$.
- 2. Suppose a particle orbit as a function of time $\vec{x}(t)$ is given in an inertial frame K and the integral

$$\tau = \int_{t_{1}}^{t_{2}} \frac{dt}{\gamma(t)} = \int_{t_{1}}^{t_{2}} \sqrt{1 - \beta_{x}^{2}(t) - \beta_{y}^{2}(t) - \beta_{z}^{2}(t)} dt$$

is evaluated. Using the invariance of the space-time interval, show that if the same calculation is done in a frame K' moving uniformly with respect to K, then $\tau' = \tau$. In other words, the proper time τ along a particle orbit is a Lorentz invariant quantity.

3. Verify that the relativistic force law $\frac{dp^{\alpha}}{d\tau} = qF^{\alpha}_{\ \nu}u^{\nu}$ (ν summation implied), where

yields the relativistic Lorentz force equation

$$\frac{d(\gamma m\vec{\mathbf{v}})}{dt} = q(\vec{E} + \vec{\mathbf{v}} \times \vec{B})$$

when evaluated on the space components $\alpha = 1, 2, 3$.

- 4. Calculate the non-relativistic cyclotron angular frequency and cyclotron frequency of the proton and the deutreron in a 0.3 T magnetic field.
- 5. Repeat, using the relativistic equations of motion, the deriviation in class of the cyclotron frequency. Show the relativistic cyclotron angular frequency is

$$\Omega_c = \frac{qB}{\gamma m}.$$

Show the radius of the cyclotron motion

$$r = \frac{\beta c}{qB/\gamma m}.$$